

# Literaturliste

## zum Artikel

### **“Tierschutz bei der betäubungslosen Schlachtung aus religiösen Gründen – Aus dem Gutachten des Beratungs- und Schulungsinstituts für schonenden Umgang mit Zucht- und Schlachttieren”**

**(DTBI. 11/2007 S. 1374)**

1. Anil, M. H.; Yesildere, T.; Aksu, H.; Matur, E.; McKinstry, J.L.; Erdogan, O.; Hughes, S.; Mason, C. (2004): Comparison of religious slaughter of sheep with methods that include pre-slaughter stunning, and the lack of differences in exsanguination, packed cell volume and meat quality parameters. *Animal Welfare* 13, 387-392
2. Anil, M.H.; Yesildere, T.; Aksu, H.; Matur, E.; McKinstry, J.L.; Weaver, H.R.; Erdogan, O.; Hughes, S.; Mason, C. (2006): Comparison of Halal slaughter with captive bolt stunning and neck cutting in cattle: exsanguination and quality parameters. *Animal Welfare* 15, 325-330
3. Bager, F., Braggins, T.J., Devine, C.E., Graafhuis, A.E., Mellor, D.J., Tavener, A.; Upsdell, M.P (1992): Onset of insensibility at slaughter in calves: effects of electroplectic seizure and exsanguination on spontaneous electrocortical activity and indices of cerebral metabolism. *Res. Vet. Sci.* 52, 162-173
4. Barnett, J. L.; Cronin, G. M. (2006): Behavioural responses of poultry during kosher slaughter and their implications for the birds' welfare. *Veterinary Record* 160, 45-49
5. Becker, B.G., Lobato, J.F.P. (1997). Effect of gentle handling on the reactivity of zebu crossed calves to humans. *Appl. Anim. Behav. Sci.* 53, 219–224
6. Bernatzky, G. (1997): Schmerz bei Tieren. In: H.H. Sambras und A. Steiger [ed.]: *Das Buch vom Tierschutz*, Ferdinand Enke Verlag Stuttgart
7. Blackman, N.L., Cheetham, K.; Blackmore, D.K. (1986): Differences in blood supply to the cerebral cortex between sheep and calves during slaughter. *Res. Vet. Sci.* 40, 252-254
8. Blackmore, D.K. (1984): Differences in behaviour between sheep and cattle during slaughter. *Res. Vet. Sci.* 37, 223-226
9. Boissy, A. und Bouissou, M.-F. (1995): Assessment of individual differences in behavioural reactions of heifers exposed to various fear-eliciting situations. *Appl. Anim. Behav. Sci.* 46, 17-31
10. Boivin, X.; Le Neindre, P. ; Garel, J.P., Chupin, J.M. (1994): Influence of breed and rearing management on cattle reactions during handling. *Appl. Anim. Behav. Sci.* 39, 115-122
11. Boivin, X.; Nowak, R.; Despres, G.; Tournadre, H.; Le Neindre, P. (1997): Discrimination between Shepherds by Lambs reared Under Artificial Conditions. *J. Anim. Sci.* 75, 2892-2898
12. Broom, D.M. (2001a.): The evolution of pain. *Flem. vet. J.*, 70, 17-21
13. Broom, D.M. (2001b): Evolution of pain. In: Soulsby, Lord and Morton, D. [ed.]: *Pain: its nature and management in man and animals*, Roy. Soc. Med. Int. Cong. Symp. Ser., 246, 17-25.
14. Daly, C.C., Kallweit, E.; Ellendorf, F. (1988): Cortical function in cattle during slaughter: Conventional captive bolt stunning followed by exsanguination compared to shechita slaughter. *Vet. Rec.* 122, 325-329
15. Davis M., (1992): The role of the amygdala in fear and anxiety. *Annu. Rev. Neurosci.* 15, 353-375
16. Dunn, C.S. (1990): Stress reactions of cattle undergoing ritual slaughter using two methods of restraint. *Vet. Rec.* 126, 522-525

17. EFSA (2004): Opinion of the Scientific Panel on Animal Health and Welfare on a request from the Commission related to welfare aspects of the main systems of stunning and killing the main commercial species of animals. (Question N° EFSA-Q-2003-093) ([http://www.efsa.europa.eu/en/science/ahaw/ahaw\\_opinions/495.html](http://www.efsa.europa.eu/en/science/ahaw/ahaw_opinions/495.html))
18. Ewbank, R. (1968): The behaviour of animals in restraint. In: Fox, M.W. [ed.]: Abnormal behaviour in animals. Saunders, London, pp. 159-178
19. Grandin, T. (1993): Behavioural agitation during handling of cattle is persistent over time. *Appl. Anim. Behav. Sci.* 36, 1-9
20. Grandin, T. (1996): Der rituelle Schlachtschnitt. *RFL - Rundschau für Fleischhygiene und Lebensmittelüberwachung* 48, 200-203
21. Grandin, T. (1998): Solving livestock handling problems in slaughter plants. In: Gregory N.G. [ed.]: Animal welfare and meat science. Wallingford, Oxon, UK, CAB Int., 42- 63
22. Grandin T. (2005): Fixierung von Tieren bei der rituellen Schlachtung. In DVG Service GmbH [ed.]: Tierschutz bei der rituellen Schlachtung. Internationale Fachtagung am 2.April 2005 in Berlin, ISBN 3-938026-25-1
23. Grandin, T. und Regenstein, J.M. (1994): Religious slaughter and animal welfare: a discussion for meat scientists. *Meat Focus International*, März 1994, 115-123 (<http://www.grandin.com/ritual/kosher.slaugh.html>)
24. Grant, C. (2004): Behavioural responses of lambs to common painful husbandry procedures. *Appl. Anim. Behav. Sci.* 87, 255-273
25. Gregory, N.G. (2004): Physiology and Behaviour of Animal suffering. Universities Federation for Animal welfare, Blackwell Science Oxford, ISBN 0-632-06468-4
26. Gregory, N. G. (2005): Recent concerns about stunning and slaughter. *Meat Science* 70, 481-491
27. Gregory, N.G. und Wotton, S.B. (1984a): Sheep slaughtering procedures. II. Time to loss of brain responsiveness after exsanguination or cardiac arrest. *Br. Vet. J.* 140, 354-360
28. Gregory, N.G. und Wotton, S.B. (1984b): Time to loss of brain responsiveness following exsanguination in calves. *Res. in Vet. Sci.* 37, 141-143
29. Gregory, N.G.; Shaw, F.D.; Whitford, J.C.; Patterson-Kane, J.C. (2006): Prevalence of ballooning of the severed carotid arteries at slaughter in cattle, calves and sheep. *Meat Science* 74, 655-657
30. Grignard, L.; Boissy, A.; Boivin, X.; Garel, J. P.; Le Neindre, P. (2000): The social environment influences the behavioural responses of beef cattle to handling. *Appl. Anim. Behav. Sci.* 68, 1-11
31. Grignard, L.; Boivin, X.; Boissy, A.; Le Neindre, P. (2001): Do beef cattle react consistently to different handling situations? *Appl. Anim. Behav. Sci.* 71, 263-276
32. Hamlin, R.L. und Stokhof, A.A. (2004): Pathophysiology of cardiovascular disease. In: R. H. Dunlop and C.-H. Malbert (Hrsg.) *Veterinary Pathophysiology*, Oxford: Blackwell.
33. Hargreaves, A.L. und Hutson, G.D. (1990): The effect of gentling on heart rate, flight distance and aversion of sheep to a handling procedure. *Appl. Anim. Behav. Sci.* 26, 243-252.
34. Holleben, K. v.; Henke, S.; Hohmann, M.; Schmidt, T.; Hartung, J. (2004): Improvements for cattle transport - responsibilities of the farmer: Effects of pre-transport and loading conditions on behaviour at loading, biochemical stress indicators and carcass/meat quality. *AgEng 2004 Conference Engineering the Future. Book of Abstracts Part 1*, 09.12.04, Leuven, Belgium, pp. 507 - 515, ISBN 90-76019-258

35. Holmes, J.; Ashmore, C.; Robinson, D. (1973): Effects of stress on cattle with hereditary muscular hypertrophy. *J. Anim. Sci.* 36, 684
36. Hutson G.D. (1993): Behavioural principles of sheep handling. in: Grandin T. [ed.]: *Livestock Handling and Transport*. CAB International, 109- 127
37. Hutson G.D. (1982): Sheep handling facilities. *Proc. Austr. Soc. Anim. Prod.* 14, 121-123
38. Kavaliers, M. (1989): Evolutionary aspects of the neuro-modulation of nociceptive behaviours. *Am. Zool* 1989; 29: 1345-53.
39. Koorts, R. (1991). The development of a restraining system to accommodate the Jewish method of slaughter (shechita). *M. Diptych.*, Technikon Witwatersrand Johannesburg, pp. 72-81
40. Lesink, B.J.; Boivin, X.; Pradel, P.; Le Neindre, P.; Veissier, I. (2000a): Reducing veal calves' reactivity to people by providing additional human contact. *J. Anim. Sci.* 78, 1213-1218
41. Lesink, B.J.; Fernandez, X.; Boivin, X.; Pradel, P.; Le Neindre, P.; Veissier, I. (2000b): The impact of gentle contacts on ease of handling, welfare, and growth of calves and on quality of veal meat. *J. Anim. Sci.* 78, 1219-1226
42. Lesink, B.J.; Raussi, S.; Boivin, X. (2001): Reactions of calves to handling depend on housing condition and previous experience with humans. *Appl. Anim. Behav. Sci.* 70, 187-199
43. Molony, V.; Kent, J.E.; Robertson, I.S. (1993): Behavioural responses of lambs of three ages in the first 3 h after three methods of castration and tail docking. *Res. Vet. Sci.*, 55: 236-245.
44. Molony, V.; Kent, J.E.; Robertson, I.S. (1995): Assessment of acute and chronic pain after different methods of castration of calves. *Appl. Anim. Behav. Sci.* 46, 33-48
45. Nangaroni L.I., Kennet P.D. (1963): An electroencephalographic study of the effect of Schechita slaughter on the cortical function in ruminants. A report, Ithaca University, Ithaca, New York, 49 pp.
46. Newhook, J.C., und Blackmore, D.K. (1982a): Electroencephalographic studies of stunning and slaughter of sheep and calves: Part 1 - The onset of permanent insensibility in sheep during slaughter. *Meat Sci.* 6, 221-233
47. Newhook, J.C., und Blackmore, D.K. (1982b): Electroencephalographic studies of stunning and slaughter of sheep and calves: Part 2 - The onset of permanent insensibility in calves during slaughter. *Meat Sci.* 6, 295-300
48. Raussi, S. (2003): Human-cattle interactions in group housing. *Appl. Anim. Behav. Sci.* 80, 245-262
49. Romeyer, A. und Bouissou, M.F. (1992). Assessment of fear reactions in domestic sheep and influence of breed and rearing conditions. *Appl. Anim. Behav. Sci.*, 34: 93-119.
50. Sandem, A.I.; Braastad, B.O.; Bøe, K. E. (2004a): Eye white may indicate emotional state on a frustration-contentedness axis in dairy cows. *Appl. Anim. Behav. Sci.* 79, 1-10
51. Sandem, A.I.; Janczak, A.M.; Braastad, B.O. (2004b): A short note on effects of exposure to a novel stimulus (umbrella) on behaviour and percentage of eye-white in cows. *Appl. Anim. Behav. Sci.* 89, 305-314
52. Schertel, E.R.; Valentine, A.K., Schmall, L.M., Allen, D.A. ; Muir, W.W. (1991): Vagotomy alters the hemodynamic response of dogs in hemorrhagic shock. *Circulatory Shock* 34, 393-397
53. Stricklin, W.R., Heisler, C.E., and Wilson, L.L. (1980): Heritability of temperament in beef cattle. *J. Anim. Sci.* 51, Suppl. 1, 109 (abstract)
54. Trunkfield, H. R.; Broom, D. M.; Maatje, K.; Wierenga, H. K.; Lambooij, E.; Kooijman, J.; Metz, J. H. M.; Groenestein, C. M. (1991): Effects of housing on responses of veal calves to handling and transport; New trends in veal calf production. *EAAP publication.* 52, 40-43

55. Van Oers, D. T. (1987): Export slaughtering without anaesthesia by means of the throat cut – an investigation to check the effectiveness of the throat cut applied and the further treatment of animals to be slaughtered for the export to Israel and Switzerland. Report prepared by Nederlandse Vereniging tot Bescherming van Dieren. 14 pp.
56. Velarde, A.; Gispert, M.; Diestre, A.; Manteca, X. (2003): Effect of electrical stunning on meat and carcass quality in lambs. *Meat Science* 63, 35-38
57. Voisinet, B. D.; Grandin, T.; O'Connor, S. F.; Tatum, J. D.; Deesing, M. (1997a): Bos-Indicus-Cross feedlot cattle with excitable temperaments have tougher meat and higher incidence of borderline dark cutters. *Meat Sci.* 46, 367-377
58. Voisinet, B. D., Grandin, T., Tatum, J. D., O'Conner, S. F, and Struthers, J. (1997b): Feedlot cattle with calm temperaments have higher average daily gains than cattle with excitable temperaments. *J. Anim. Sci.* 75, 892-896
59. Waiblinger, S.; Menke, C.; Korff, J.; Bucher, A. (2004): Previous handling and gentle interactions affect behaviour and heart rate of dairy cows during a veterinary procedure. *Appl. Anim. Behav. Sci.* 85, 31-42
60. Warriss, P.D.; Wotton, S.B. (1981): Effect of cardiac arrest on exsanguination in pigs. *Res.Vet.Sci.* 31, 82-87
61. Zimmermann (2005): Schmerz bei der rituellen Schlachtung. In: DVG Service GmbH (2005): Tierschutz bei der rituellen Schlachtung. Internationale Fachtagung am 2.April 2005 in Berlin, ISBN 3-938026-25-1
62. Bodnar, R.J. (1984): Types of stress which induce analgesia. In: Tricklebark, M.D. and Curzon, G. [HRSRG]: Stress-induced analgesia, Chichester: John Wiley & Sons, 19-32
63. Beecher, H.K. (1964): Pain in men wounded in battle. *Annals of Surgery* 123, 96-105
64. Melzak, R.; Wall, P.D.; Ty, T.C. (1982): Acute pain in an emergency clinic. *Pain* 14 (1), 33-43
65. Hutson, G.D.; Butler, M.L.(1978): A self-feeding sheep race that works. *Journal of Agriculture, Victoria* 76, 335-336
66. Rushen, J. (1986): Aversion of sheep to electro-immobilization and physical restraint. *Applied Animal Behaviour Science* 15, 315-324
67. TVT (2005): Stellungnahme der TVT zum betäubungslosen Schlachten. <http://www.tierschutz-tvt.de/schaechten2.html>
68. König, H.E. (1999): Rituelles Schlachten – anatomische Überlegungen. *Wien.Tierärztl.Wschr.* 86, 94-98
69. Vollrath u. von Holleben (2006) unveröffentlicht
70. Velarde (2006) persönliche Mitteilung
71. Gregory (2005) persönliche Mitteilung
72. Daly (2006) persönliche Mitteilung